




Radium

RaLED DOWNLIGHT





	EAN	Ø x H	W	lm	K	IP	☹	R _a	👤	V _{AC}	Hz
RaLED DOWNLIGHT S 12W/3000K WT IP20	4003556005150	170x23	12	980	3000	20	110°	>80	0.275 kg	220-240V	50/60 Hz
RaLED DOWNLIGHT S 12W/4000K WT IP20	4003556005167	170x23	12	1050	4000	20	110°	>80	0.275 kg	220-240V	50/60 Hz
RaLED DOWNLIGHT S 12W/6500K WT IP20	4003556005174	170x23	12	1050	6500	20	110°	>80	0.275 kg	220-240V	50/60 Hz
RaLED DOWNLIGHT S 18W/3000K WT IP20	4003556005181	225x23	18	1500	3000	20	110°	>80	0.405 kg	220-240V	50/60 Hz
RaLED DOWNLIGHT S 18W/4000K WT IP20	4003556005198	225x23	18	1600	4000	20	110°	>80	0.405 kg	220-240V	50/60 Hz
RaLED DOWNLIGHT S 18W/6500K WT IP20	4003556005204	225x23	18	1600	6500	20	110°	>80	0.405 kg	220-240V	50/60 Hz




RaLED DOWNLIGHT



	a	b	c	d	e	f	g	h
RaLED DOWNLIGHT S 12W	ø160 mm	155 mm	ø170 mm	3-30 mm	57 mm	20 mm	≥ 25 mm	≥ 55 mm
RaLED DOWNLIGHT S 18W	ø208 mm	200 mm	ø225 mm	3-30 mm	57 mm	20 mm	≥ 25 mm	≥ 55 mm







Radium
RaLED DOWNLIGHT



Radium

RaLED DOWNLIGHT



LED



L70



CE



RoHS



30.000h

Radium
Lampenwerk GmbH
Dr.-Eugen-Kersting-Straße 6
51688 Wipperfürth
GERMANY

www.radium.de

Made in PRC

IP
20

