
Technical Information

XERADEX L40/120/SB-SX48/KF50HV

Revision: 1.2 - 09/2016 Supersedes: 1.1 - 11/2009

Status: valid **Data Sheet**




RADIUM XERADEX® VUV excimer lamps offer an exceptionally high VUV efficiency. XERADEX® lamps are the high-tech solution for cost effective surface cleaning/activation, purification or etching.

Electrical data

20 W Rated power

Spectral data

Peak wavelength 172 nm Radiation intensity at lamp surface 40 mW/cm² Generates ozone yes



Operating conditions

Leak rate < 5.10⁻⁹ mbar l/s Pressure range 1) < 0,05 mbar and > 500 mbar Burning position any Cooling not required Electronic control gear (power supply) **DBD 20**

Lifespan

Recommended service life 2500 h Radiation flux after 2500h >70%

1) Between 0.05 mbar and 500 mbar depending on surrounding gas-type parasitic discharges may occur. Additional discharges may destroy lamp and ECG or vacuum equipment.

Dimensions

Overall length $248,5 \pm 3,0 \text{ mm}$ Radiant length $120 \pm 3.0 \text{ mm}$ Tube diameter $40 \pm 1.9 \text{ mm}$ Socket diameter $48 \pm 0.3 \text{ mm}$ Socket denomination ISO-KF50 Flange Connector MHV (BNC-HV)

RAD Code 343 17363 G-TIN (EAN) code 40 08321 21125 5 **NAED** code 69550

Applications

- Surface treatment
 - Removal of organic residue, resist
 - Cleaning of photomasks
 - Etching of plastic surfaces
- Activation of surface bonds
 - Improved deposition (photoresist, detergents)
 - Adjustment of contact angle
- Photo induced processes
 - Matting of lacquer
 - Ozone production
 - UV/ozone cleaning without external ozonator

Advice

- Lamp emits high energy UV radiation which is readily absorbed by oxygen under generation of ozone.
- Provide ample ventilation and operate the lamp in suitable environment only.
- Lamp is designed for operation with matching power supply. Do not connect to any other power supply.
- Lamp is operated at high voltage. Lamp may only be installed, exchanged and operated by qualified personnel.









For complete operating, design-

in, transportation and storage guidelines, please kindly refer to the RADIUM XERADEX® Application Notes.

Radium Lampenwerk Wipperfuerth Dr.-Eugen-Kersting-Strasse 6 D-51688 Wipperfürth · Germany Phone +49 (0)2267 81-398

+49 (0)2267 81-503 Email: xeradex@radium.de Web: www.xeradex.de





