

EU Declaration of Conformity

Document number: 2016 / 26 / 1D
Manufacturer or representative: Radium Lampenwerk GmbH
Address: Dr. Eugen-Kersting-Str. 6
D-51688 Wipperfürth
Germany
Brand name or trade mark: Radium
Product type: Self-ballasted LED lamp
Product designation: MR 16 GU 5,3
☒ See attached list


The designated product(s) is (are) in conformity with the relevant Union harmonisation legislation:


- | | |
|--|---|
| ☒ 2014/35/EU: | Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits; Official Journal of the EU L96, 29/03/2014, p. 357-374) |
| ☒ 2014/30/EU: | Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility; Official Journal of the EU L96, 29/03/2014, p. 79-106 |
| ☒ 2009/125/EC and amendments | Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products |
| ☐ 244/2009 and amendments | Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non-directional household lamps |
| ☐ 245/2009 and amendments | Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps, and repealing Directive 2000/55/EC of the European Parliament and of the Council |
| ☒ 1194/2012 and amendments | Commission Regulation (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment |
| ☒ 2011/65/EU and amendments | Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official Journal of the EU L174, 1/07/2011, p. 88-110 |
| ☐ 1999/5/EC and amendments | Directive of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity |

Last two digits of the year in which the CE marking was affixed: 14

Place and date of signatures: Wipperfürth, 03.06.2016

Signatures:


Quality Management


Plant Management

Names: Yannick Scheyer

Dirk Böhnke

Customer service contact: Radium GmbH, Dr. Eugen-Kersting-Strasse 6, 51688 Wipperfürth, Deutschland

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It certifies compliance with the indicated Directives, but implies no warranty of properties.

EU Declaration of Conformity

Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

☐	EN 60155: 1995 + A1:1995 + A2:2007	Glow-starters for fluorescent lamps
☐	EN 60432-1: 2000 + A1:2005 + A2:2012	Incandescent lamps — Safety specifications — Part 1: Tungsten filament lamps for domestic and similar general lighting purposes
☐	EN 60432-2: 2000 + A1:2005 + A2:2012	Incandescent lamps — Safety specifications — Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes
☐	EN 60432-3: 2013	Incandescent lamps — Safety specifications — Part 3: Tungsten halogen lamps (non-vehicle)
☐	EN 60598-1: 2008 + A11:2009	Luminaires — Part 1: General requirements and tests
☐	EN 60598-2-1: 1989	Luminaires — Part 2-1: Particular requirements — Fixed general purpose luminaires
☐	EN 60598-2-2: 2012	Luminaires — Part 2-2: Particular requirements — Recessed luminaires
☐	EN 60598-2-3: 2003 + A1:2011	Luminaires — Part 2-3: Particular requirements — Luminaires for road and street lighting
☐	EN 60598-2-4: 1997	Luminaires — Part 2-4: Particular requirements — Portable general purpose luminaires
☐	EN 60598-2-5: 1998	Luminaires — Part 2-5: Particular requirements — Floodlights
☐	EN 60598-2-6: 1994 + A1:1997	Luminaires — Part 2-6: Particular requirements — Luminaires with built-in transformers for filament lamps
☐	EN 60598-2-7: 1989 + A2:1996 + A13:1997	Luminaires — Part 2-7: Particular requirements — Portable luminaires for garden use
☐	EN 60598-2-8: 2013	Luminaires — Part 2-8 : Particular requirements — Handlamps
☐	EN 60598-2-10: 2003	Luminaires — Part 2-10: Particular requirements — Portable luminaires for children
☐	EN 60598-2-12: 2013	Luminaires — Part 2-12: Particular requirements — Mains socket-outlet mounted nightlights
☐	EN 60598-2-13: 2006 + A1:2012	Luminaires — Part 2-13: Particular requirements — Ground recessed luminaires
☐	EN 60598-2-20: 2010	Luminaires — Part 2-20: Particular requirements — Lighting chains
☐	EN 60598-2-22: 2014	Luminaires — Part 2-22: Particular requirements — Luminaires for emergency lighting
☐	EN 60968: 2013 + A11:2014	Self-ballasted lamps for general lighting services — Safety requirements
☐	EN 61195: 1999 + A1:2013	Double-capped fluorescent lamps — Safety specifications

EU Declaration of Conformity

Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

☐	EN 61199: 2011 + A1:2013	Single-capped fluorescent lamps — Safety specifications
☐	EN 61347-1: 2008 + A1:2011 + A2:2013	Lamp controlgear — Part 1: General and safety requirements
☐	EN 61347-2-1: 2001 + Corr. 2003 + A1:2006 + Corr. 2006 + Corr. 2010 + A2:2014	Lamp controlgear — Part 2-1: Particular requirements for starting devices (other than glow starters)
☐	EN 61347-2-2: 2012	Lamp controlgear — Part 2-2: Particular requirements for d. c. or a. c. supplied electronic step-down convertors for filament lamps
☐	EN 61347-2-3: 2011 + Corr. 2011	Lamp controlgear — Part 2-3: Particular requirements for a. c. and/or d. c. supplied electronic ballasts for fluorescent lamps
☐	EN 61347-2-7: 2012	Lamp controlgear — Part 2-7: Particular requirements for battery supplied electronic controlgear for emergency lighting (self-contained)
☐	EN 61347-2-8: 2001 + Corrigendum: 2003+ A1:2006 + Corrigendum:2010	Lamp controlgear — Part 2-8: Particular requirements for ballasts for fluorescent lamps
☐	EN 61347-2-9: 2013	Lamp controlgear — Part 2-9: Particular requirements for ballasts for discharge lamps (excluding fluorescent lamps)
☐	EN 61347-2-10: 2001 + A1:2009 + Corrigendum:2010	Lamp controlgear — Part 2-10: Particular requirements for electronic invertors and convertors for high-frequency operation of cold start tubular discharge lamps (neon tubes)
☐	EN 61347-2-11: 2001 + Corrigendum:2002 + Corrigendum:2010	Lamp controlgear — Part 2-11: Particular requirements for miscellaneous electronic circuits used with luminaires
☐	EN 61347-2-12: 2005 + A1:2010 + Corr.2010	Lamp controlgear — Part 2-12: Particular requirements for d. c. or a. c. supplied electronic ballasts for discharge lamps (excluding fluorescent lamps)
☐	EN 61347-2-13: 2014	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
☐	EN 61549: 2003 + A1:2005 + A2:2010 + A3:2012	Miscellaneous lamps
☐	EN 62031: 2008 + A1:2013	LED modules for general lighting — Safety specifications
☐	EN 62034: 2012	Automatic test systems for battery powered emergency escape lighting
☐	EN 62035: 2000 + A1:2003 + A2:2012	Discharge lamps (excluding fluorescent lamps) — Safety specifications

EU Declaration of Conformity

Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive** Directive **2006/95/EC** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|-------------------------------------|-------------------------------------|---|
| ☒ | EN 62493:
2010 | Assessment of lighting equipment related to human exposure to electromagnetic fields |
| ☐ | EN 62532:
2011 | Fluorescent induction lamps — Safety specifications |
| ☒ | EN 62560:
2012 | Self-ballasted LED-lamps for general lighting services by voltage > 50 V — Safety specifications |
| ☐ | EN 60669-2-1:
2004+A12009 | Switches for household and similar fixed electrical installations - Part 2-1: Particular requirements - Electronic switches (IEC 60669-2-1:2002, modified) / Corrected and reprinted in 2007-12 |
| ☒ | EN 62471:
2008 | Photobiological safety of lamps and lamp systems |
| ☐ | | |

EU Declaration of Conformity

Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European **EMC Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

☒	EN 55015: 2013	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
☒	EN 61000-3-2: 2014	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
☐	EN 61000-3-3: 2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
☒	EN 61547: 2009	Equipment for general lighting purposes — EMC immunity requirements
☐	EN 50498: 2010	Electromagnetic compatibility (EMC) – Product family standard for aftermarket electronic equipment in vehicles
☐		

EU Declaration of Conformity Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European Directive **2009/125/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- ☐ **EN 50294:**
1998 + A1:2001 + A2:2003 Measurement method of total input power of ballast-lamp circuits
- ☐ **EN 62442-1:** 2011 Energy performance of lamp controlgear - Part 1: Controlgear for fluorescent lamps - Method of measurement to determine the total input power of controlgear circuits and the efficiency of the controlgear
- ☐ **EN 62442-2:** 2014 Energy performance of lamp controlgear –
Part 2: Controlgear for high intensity discharge lamps (excluding
fluorescent
lamps) – Method of measurement to determine the efficiency of the
controlgear
- ☐ **EN 62442-3:**
2014 Energy performance of lamp controlgear –
Part 3: Controlgear for halogen lamps and LED modules – Method of
measurement to determine the efficiency of the controlgear
- ☐

EU Declaration of Conformity Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European Directive **2011/65/EU** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- ☐ **EN 50581:** 2012 Technical documentation for the assessment of electrical and electronic products
with respect to the restriction of hazardous substances
- ☐

EU Declaration of Conformity

Annex

Document number: 2016 / 26 / 1D

The conformity of the designated product(s) with the provisions of the European Directive **1999/5/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|--------------------------|---|---|
| ☐ | ETSI EN 300 220-1 V2.1.1: | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 1: Technical characteristics and test methods |
| ☐ | ETSI EN 300 220-2 V2.1.2: | Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment to be used in the 25 MHz to 1 000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE Directive |
| ☐ | ETSI EN 301 489-1 V1.8.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM); Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements |
| ☐ | ETSI EN 301 489-3 V1.4.1 | Electromagnetic compatibility and Radio spectrum Matters (ERM); Electro Magnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 40 GHz |
| ☐ | EN 60590-1: 2006 + A11:2009 + A1:2010 + A12:2011 + AC:2011 + A2:2013 | Information technology equipment – Safety – Part 1: General requirements |
| ☐ | EN 60825-1: 2014 | Safety of laser products - Part 1: Equipment classification and requirements (IEC 60825-1:2014) / Endorsement notice |
| ☐ | EN 60065: 2002 + A1:2006 + Cor.:2007 + A11:2008 + A2:2010 + A12:2011 | Audio, video and similar electronic apparatus - Safety requirements |
| ☐ | | |

EU Declaration of Conformity

Attached list

Document 2016 / 26 / 1D

RL MR 16 35 DIM 4,9W/12/WFL/840/GU5,3
RL MR 16 35 DIM 4,9W/12/WFL/830/GU5,3
RL MR 16 35 DIM 4,9W/12/WFL/827/GU5,3
RL MR 16 35 DIM 5,9W/12/WFL/830/GU5,3
RL MR 16 50 DIM 8,2W/12/WFL/840/GU5,3
RL MR 16 50 DIM 8,2W/12/WFL/830/GU5,3
RL MR 16 50 DIM 8,2W/12/WFL/827/GU5,3

RL MR 16 50 2,5W/12/WFL/827/GU5,3
RL MR 16 35 5W/12/WFL/827/GU5,3
RL MR 16 35 6,5W/12/WFL/827/GU5,3